


HEALTH DESIGNATED SUBSTANCE TESTING & REMEDIATION DIVISION

RADON, MOULD, ASBESTOS & LEAD



RADON

Recently Health Canada conducted a survey of the radon levels of homes across Canada and has concluded that the Radon levels are significantly greater than previously thought. "Most of radon-induced lung cancers occur from low and medium dose exposures in people's homes. Health Canada recommends that radon levels be less than 200 Bq/m³. This new concern has prompted the Canadian Lung Association to urge Canadians to test their homes for Radon gas.



The testing is a very simple procedure and is described in the following:-

Short-Term Testing:

Short-term test over a 48 to 72 hour period is where we place a small detector in an appropriate location in the house, normally in the basement where there is the highest concentration of Radon. The short-term test can offer a snapshot of levels. The radon concentration on this short-term test should not exceed the guidance level of 200 Bq/m³,

- **Short-Term Testing Residential - \$95.00 (taxes extra)**

-

MOULD:

A reason for mould testing is to find out the presence of toxic moulds. Two well-known toxic moulds *Stachybotrys* (often called toxic black mold) and *Aspergillus*, are routinely found. Mould testing can tell you if you have a mould problem in your home.

Exposure:

Toxic black mould causes serious symptoms and health problems such as mental impairment, breathing problems, damage to internal organs and sometimes even death.



Typical presence of Mould

Testing:

Surface testing takes samples from household surfaces to find the amount of mold growth and spores deposited around the home.


Snap Shot Bio –Tape testing to determine the presence of Mould - \$135.00 (taxes extra)

ASBESTOS

Many products containing asbestos were used in house construction. Some products, such as asbestos-containing vermiculite insulation, were used in homes right up until the late 1980s

Exposure:

Exposure to asbestos can also cause lung cancer and mesothelioma, which is a cancer of the linings of the lungs and abdomen.



Potential Locations of asbestos in your house


Snap Shot Bio –Tape testing to determine the presence of Asbestos - \$98.00 (taxes extra)

LEAD

Many products containing lead were used in house construction. Some products, such as lead-containing Paint, were used in homes right up until the 1980s

Exposure:

Lead is a highly toxic metal that may cause a range of health problems, especially in young children. When lead is absorbed into the body, it can cause damage to the brain and other vital organs, like the kidneys, nerves and blood. Lead may also cause behavioral problems, learning disabilities, seizures and in extreme cases, death.



Snap Shot Bio –Tape testing to determine the presence of Lead - \$95.00 (taxes extra)

If you wish to go ahead with the testing please email bepiradon@gmail.com
Call 519 337 0228
Cell at 519 328 7054